USA Effective January 1, 2022 Date:	
Bantam Extra Small User Specification	S
Approximate Height Range	28"-40"
Weight Limit	50 lbs.
Seat Depth Range (seat to back surface)	7"-12"
Seat to Foot Plate Range (from seat pivot)	4.5"-16.5"
Bill TO (EasyStand Supplier Only)	

.

Purchase Order #:
Quote #:
Account #:
Ordered By:
Name of ATP (Required):
Supplier Company:
Address:
City, State, Zip:
Phone:
Email:
Payer Source:
Ship To

Name:	Secure Foot Straps (select one, length over top of foot, two pair)
Address:	From to Fit Back (select one, height from seat)
Address:	11"-13"H Range DEFAULT
City, State:	Velcro® Positioning Belt (select one, hip circumference) up to 23" DEFAULT up to 33"
Zip:	X-Style Chest Vest (select one) □ 9.5"LX9"W DEFAULT □ 11"LX9.5"W
Phone:	□ Non-Stretch 9.5"Lx9"W □ Non-Stretch 11"Lx9.5"W
Tag For:	Head Support (select one) 5"Hx8"W 6"Hx10"W 5"Hx10"W-Form to Fi

Email form to webquotes@easystand.com



Bantam Extra Small Packages

5"Hx10"W-Form to Fit DEFAULT

□ PK101 Minimum Support Package......\$4,738

Supine, Easy-Adjust Seat Depth, Black Molded Tray, Velcro[®] Positioning Belt,

5" Front Wheels, 3" Rear Locking Swivel Casters, Chest Strap, Foot Plates,

Head Support, Planar Seat & Back, Gas Spring Lift with Foot Pedal, Knee Pads,

□ PK102 Moderate Support Package......\$6,261

Supine, Easy-Adjust Seat Depth, Black Molded Swing-Away Tray, Forearm Wings,

Multi-Adjustable Foot Plates, Secure Foot Straps, Hygienic Covers for (Seat, Back,

Head Support), Swing-Away Knee Pads, Form to Fit Seat, Form to Fit Back, Velcro®

Positioning Belt, X-Style Chest Vest, High Mount Chest Vest Bracket, Head Support, Gas Spring Lift with Foot Pedal, Front Wheels/Casters, 3" Rear Locking Swivel Casters.

Select one Pattern and one Color

Hy	gienic	Cover	Patterns	(select one)
	Rainho	w Unico	rn	

The minimum support package includes: (no substitutions)

□ 6"Lx3"W □ 7.75"Lx3.25"W DEFAULT □ 9.75"Lx4"W

11"-13"H Range DEFAULT 15"-17"H Range

Velcro® Positioning Belt (select one, hip circumference)

The moderate support package includes: (no substitutions)

5" Front Wheels DEFAULT Front Swivel Casters

□ 6"Lx3"W □ 7.75"Lx3.25"W default □ 9.75"Lx4"W

5"Hx8"W 6"Hx10"W 5"Hx10"W-Form to Fit DEFAULT

	Sea Creatures
\Box	Fancy Pants Elephants
\Box	Space Race DEFAULT
	All Smiles Animals

Knee Pads (select one, inside width)

Foot Holders (select one, pair)

Head Support (select one)

□ 2.5" □ 3.25" default □ 4.25"

Planar Back (select one, height from seat)

up to 23" DEFAULT up to 33"

□ 5"Hx8"W □ 6"Hx10"W

Front Wheel/Casters (select one)

Knee Pads (select one, inside width) 2.5" 3.25" DEFAULT 4.25"

Foot Holders (select one, pair)

 $\overline{\Box}$ Purple $\overline{\Box}$ White

Orange

□ PK103 Maximum Support Package......\$7,457

The maximum support package includes: (no substitutions) Supine, Easy-Adjust Seat Depth, Dual Control, Gas Spring Lockout, Swing-Away Tray, Forearm Wings, Multi-Adjustable Foot Plates, Secure Foot Straps, Hygienic Covers for (Seat, Back, Head Support), Swing-Away Knee Pads, Hip Supports, Calf Pad, Lateral Supports, Velcro[®] Positioning Belt, X-Style Chest Vest, High Mount Chest Vest Bracket, Head Support, Push Handle, Gas Spring Lift with Foot Pedal, Planar Seat & Back, Front Wheels/Casters, 3" Rear Locking Swivel Casters.

Front Wheel/Casters (select one)

5" Front Wheels DEFAULT Front Swivel Casters Swing-Away Tray (select one)

Black Molded 11"Lx19"W Clear Trav-11"Lx19"W DEFAULT

Knee Pads (select one, inside width) □ 2.5" □ 3.25" DEFAULT □ 4.25"

Foot Holders (select one, pair) □ 6"Lx3"W □ 7.75"Lx3.25"W default □ 9.75"Lx4"W

Secure Foot Straps (select one, length over top of foot, two pair) □ 10"L DEFAULT □ 15"L

Planar Back (select one, height from seat) □ 11"-13"H Range DEFAULT □ 15"-17"H Range

Lateral Supports (select one)

5"-9"W Range (select pad style below) Flat Pads DEFAULT Curved Pads

8"-12"W Range (select pad style below) Flat Pads DEFAULT Curved Pads

Velcro[®] Positioning Belt (select one, hip circumference) up to 23" perault up to 33"

X-Stvle Chest Vest (select one)

9.5"LX9"W default	🔲 11"Lx9.5"W
Non-Stretch 9.5"Lx9"W	Non-Stretch 11"Lx9.5"W
Head Support (select one)	

5"Hx8"W 6"Hx10"W 5"Hx10"W-Form to Fit DEFAULT

□ PK104 Moderate Support Package (Mobile)....\$6,528 The moderate support package includes: (no substitutions)

Easy-Adjust Seat Depth, Mobile, Mobile Tray, Multi-Adjustable Foot Plates, Secure Foot Straps, Hygienic Covers for (Seat, Back), Swing-Away Knee Pads, Hip Supports, Velcro[®] Positioning Belt, Chest Strap, X-Style Chest Vest, High Mount Chest Vest Bracket, Gas Spring Lift with Foot Pedal, Planar Seat & Back, 3" Rear Locking Casters, Chest Strap.

Knee Pads (select one, inside width)

□ 2.5" □ 3.25" DEFAULT □ 4.25"

Foot Holders (select one, pair)

□ 6"LX3"W □ 7.75"LX3.25"W DEFAULT □ 9.75"LX4"W

Secure Foot Straps (select one, length over top of foot, two pair) □ 10"L DEFAULT □ 15"L

- Planar Back (select one, height from seat) □ 11"-13"H Range DEFAULT □ 15"-17"H Range
- Velcro® Positioning Belt (select one, hip circumference) up to 23" DEFAULT up to 33"

X-Style Chest Vest (select one)

9.5"LX9"W DEFAULT 11"Lx9.5"W

□ Non-Stretch 9.5"Lx9"W □ Non-Stretch 11"Lx9.5"W

Standing technology should only be used under the guidance of a physician with recommendations for standing program protocol and any medical precautions. Standing programs should be monitored by the attending therapist. AMI maintains a policy of continual product improvement and reserves the right to change features, specifications, and prices without prior notification. Check with AMI for latest information. FORM ESBANXSMPLPKG-112921 Copyright © 2021 Altimate Medical, Inc. All rights reserved. U.S. & international patents pending. Printed in the U.S.A.

Frame Color (select one) Green DEFAULT

Name:

Address:

USA Effective January 1, 2022 Date: **Bantam Small User Specifications** 36"-54" Approximate Height Range 100 lbs Weight Limit 11"-16" Seat Depth Range (seat to back surface) 4.5"-16.5" Seat to Foot Plate Range (from seat pivot) **Bill TO** (EasyStand Supplier Only) Purchase Order #: Quote #: Account #:_____ Ordered By: _____ Name of ATP (Required): Supplier Company: Address: _____ City, State, Zip: Phone: Email: Payer Source: Ship To

Knee Pads (select one, inside width) □ 3.25" □ 4.25" DEFAULT □ 5" Foot Holders (select one, pair) 7.75"Lx3.25"W 9.75"Lx4"W default 11.75"Lx5"W Planar Back (select one, height from seat) □ 14"-16"H Range DEFAULT □ 18"-20"H Range Velcro® Positioning Belt (select one, hip circumference) up to 29" DEFAULT up to 39" Head Support (select one) 5"Hx8"W 6"Hx10"W 5"Hx10"W-Form to Fit DEFAULT □ PK106 Moderate Support Package......\$6,261 The moderate support package includes: (no substitutions) Supine, Easy-Adjust Seat Depth, Black Molded Swing-Away Tray, Forearm Wings, Multi-Adjustable Foot Plates, Secure Foot Straps, Hygienic Covers for (Seat, Back, Head Support), Swing-Away Knee Pads, Form to Fit Seat, Form to Fit Back, Velcro® Positioning Belt, X-Style Chest Vest, High Mount Chest Vest Bracket, Head Support, Gas Spring Lift with Foot Pedal, Front Wheels/Casters, 3" Rear Locking Swivel Casters. Front Wheel/Casters (select one) 5" Front Wheels DEFAULT Front Swivel Casters Knee Pads (select one, inside width) □ 3.25" □ 4.25" DEFAULT □ 5" Foot Holders (select one, pair) □ 7.75"Lx3.25"W □ 9.75"Lx4"W default □ 11.75"Lx5"W _____ Secure Foot Straps (select one, length over top of foot, two pair) □ 10"L default □ 15"L _____ From to Fit Back (select one, height from seat) □ 12.5"-14.5"H Range DEFAULT □ 16.5"-18.5"H Range Address: Velcro® Positioning Belt (select one, hip circumference) City, State:_____

up to 29" default up to 39"

X-Style Chest Vest (select one) 9.5"LX9"W DEFAULT 11"Lx9.5"W

□ Non-Stretch 9.5"Lx9"W □ Non-Stretch 11"Lx9.5"W

Head Support (select one) 5"Hx8"W 6"Hx10"W 5"Hx10"W-Form to Fit DEFAULT

□ PK107 Maximum Support Package......\$7,457

The maximum support package includes: (no substitutions) Supine, Easy-Adjust Seat Depth, Dual Control, Gas Spring Lockout, Swing-Away Tray, Forearm Wings, Multi-Adjustable Foot Plates, Secure Foot Straps, Hygienic Covers for (Seat, Back, Head Support), Swing-Away Knee Pads, Hip Supports, Calf Pad, Lateral Supports, Velcro® Positioning Belt, X-Style Chest Vest, High Mount Chest Vest Bracket, Head Support, Push Handle, Gas Spring Lift with Foot Pedal, Planar Seat & Back, Front Wheels/Casters, 3" Rear Locking Swivel Casters,

Front Wheel/Casters (select one)

□ 5" Front Wheels DEFAULT □ Front Swivel Casters Swing-Away Tray (select one)

- Clear Trav-11"Lx19"W DEFAULT Black Molded 11"Lx19"W
- Knee Pads (select one, inside width) 3.25" 4.25" DEFAULT 5"
- Foot Holders (select one, pair) □ 7.75"Lx3.25"W □ 9.75"Lx4"W DEFAULT □ 11.75"Lx5"W
- Secure Foot Straps (select one, length over top of foot, two pair) □ 10"L DEFAULT □ 15"L
- Planar Back (select one, height from seat) □ 14"-16"H Range DEFAULT □ 18"-20"H Range
- Lateral Supports (select one)
 - 5"-9"W Range (select pad style below) Flat Pads DEFAULT Curved Pads
- 8"-12"W Range (select pad style below) Flat Pads DEFAULT Curved Pads
- Velcro[®] Positioning Belt (select one, hip circumference) □ up to 29" perault □ up to 39"

X-Style Chest Vest (select one)

9.5"LX9"W default	11"Lx9.5"W
Non-Stretch 9.5"Lx9"W	Non-Stretch 11"Lx9.5"W
Head Support (select one)	_

□ 5"Hx8"W □ 6"Hx10"W □ 5"Hx10"W-Form to Fit DEFAULT

□ PK108 Moderate Support Package (Mobile)....\$6,528 The moderate support package includes: (no substitutions)

Easy-Adjust Seat Depth, Mobile, Mobile Tray, Multi-Adjustable Foot Plates, Secure Foot Straps. Hygienic Covers for (Seat, Back). Swing-Away Knee Pads. Hip Supports, Velcro[®] Positioning Belt, Chest Strap, X-Style Chest Vest, High Mount Chest Vest Bracket, Gas Spring Lift with Foot Pedal, Planar Seat & Back, 3" Rear Locking Casters, Chest Strap.

- Knee Pads (select one, inside width)
- □ 3.25" □ 4.25" DEFAULT □ 5'

Foot Holders (select one, pair)

- □ 7.75"Lx3.25"W □ 9.75"Lx4"W DEFAULT □ 11.75"Lx5"W
- Secure Foot Straps (select one, length over top of foot, two pair) □ 10"L default □ 15"L
- Planar Back (select one, height from seat) □ 14"-16"H Range DeFAULT □ 18"-20"H Range
- Velcro® Positioning Belt (select one, hip circumference) □ up to 29" DEFAULT □ up to 39"

X-Style Chest Vest (select one)

- 9.5"LX9"W DEFAULT □ 11"Lx9.5"W
- □ Non-Stretch 9.5"Lx9"W □ Non-Stretch 11"Lx9.5"W



Zip:_____

Phone:_____

Tag For:_____

Frame Color (select one) Green DEFAULT

 Purple □ White Orange

Bantam Small Packages

□ PK105 Minimum Support Package......\$4,738

Supine, Easy-Adjust Seat Depth, Black Molded Tray, Velcro® Positioning Belt,

5" Front Wheels, 3" Rear Locking Swivel Casters, Chest Strap, Foot Plates.

Head Support, Planar Seat & Back, Gas Spring Lift with Foot Pedal, Knee Pads,

Select one Pattern and one Color

Fancy Pants Elephants

Rainbow Unicorn

Sea Creatures

Space Race DEFAULT All Smiles Animals

 \Box

Ħ

Hygienic Cover Patterns (select one)

The minimum support package includes: (no substitutions)

EasyStand^b **Retail Order Form**

USA Effective January 1, 2022 Date:.

Bantam Medium User Specifications

Approximate Height Range	4'0"-5'6"
Weight Limit	200 lbs.
Seat Depth Range (seat to back surface)	15"-20"
Seat to Foot Plate Range (from seat pivot)	7"-18.5"

Bill TO (EasyStand Supplier Only)

Purchase Order #:	
Quote #:	
Account #:	
Ordered By:	
Name of ATP (Required):	
Supplier Company:	
Address:	
City, State, Zip:	
Phone:	
Email:	
Payer Source:	
Ship To	
Name:	
Address:	
Address:	
City, State:	

Bantam Medium Packages

□ PK109 Minimum Support Package......\$5,738 The minimum support package includes: (no substitutions) Supine, Easy-Adjust Seat Depth, Black Molded Tray, Planar Back, Velcro®

Positioning Belt, 5" Front Wheels, Slide-In Knee Pads, 5" Rear Locking Casters, Planar Seat, Height-Only Adjustable Foot Plates.

Knee Pads (select one, inside width)

□ 4" □ 5.5" DEFAULT

Foot Holders (select one, pair) ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W □ 11.75"Lx5"W DEFAULT

Planar Back (select one, height from seat) □ 16"H □ 20"H default

Head Support (select one) □ 5"Hx8"W □ 6"Hx10"W □ 7"Hx14"W □ 5"Hx10"W-Form to Fit default

PK110 Moderate Support Package......\$7,039

he moderate support package includes: (no substitutions) upine, Easy-Adjust Seat Depth, Black Molded Swing-Away Tray, Large Contoured Chest Pad, Multi-Adjustable Foot Plates, Secure Foot Straps, wing-Away Knee Pads, Hygienic Covers (Seat, Back), Contoured Seat, Contoured Back, Velcro® Positioning Belt, Chest Strap or Chest Vest with High Nount Vest Bracket, Head Support, Front Frame, 5" Rear Locking Casters.

Front Frame (select one)

5" Front Wheels DEFAULT 5" Front Swivel Casters (nee Pads (select one, inside width) 4" 5.5" DEFAULT OOT Holders (select one, pair) □ 7.75"Lx3.25"W □ 9.75"Lx4"W □ 11.75"Lx5"W default Secure Foot Straps (select one, length over top of foot, two pair) □ 10"L DEFAULT □ 15"L Contoured Seat (select one) □ Narrow 11"-13"W □ Wide 12"-14"W DEFAULT contoured Back (select one, height from seat) □ 16"H □ 20"H DEFAULT Chest Support (select one) Chest Strap (circumference up to 42", velcro with D-ring) X-Style 11"Lx9.5"W X-Style 14.5"Lx10.5"W DEFAULT Y-Style 17.5"Lx11.5"W Y-Style 20.5"Lx12.5"W Non-Stretch X-Style 11"Lx9.5"W Non-Stretch X-Style 14.5"Lx10.5"W Non-Stretch Y-Style 17.5"Lx11.5"W Non-Stretch Y-Style 20.5"Lx12.5"W П

Head Support (select one)

□ 5"Hx8"W □ 6"Hx10"W 7"Hx14"W 5"Hx10"W-Form to Fit DEFAULT

Maximum Support Package......\$7,848 🗆 PK111

The maximum support package includes: (no substitutions) Supine, Easy-Adjust Seat Depth, Swing-Away Tray, Large Contoured Chest Pad, Multi-Adjustable Foot Plates, Secure Foot Straps, Swing-Away Knee Pads, Hygienic Covers (Seat, Back), Hip Supports, Planar Back, Velcro[®] Positioning Belt, Chest Strap or Chest Vest with High Mount Vest Bracket, Lateral Supports. Head Support, Front Frame, 5" Rear Locking Casters, Planar Seat.

Front Frame (select one)

5" Front Wheels DEFAULT 5" Front Swivel Casters

Swing-Away Tray (select one)

Black Molded 21"Lx24"W Clear Tray-21"Lx24"W DEFAULT

Knee Pads (select one, inside width)

□ 4" □ 5.5" DEFAULT

Foot Holders (select one, pair)

□ 7.75"Lx3.25"W □ 9.75"Lx4"W □ 11.75"Lx5"W default

Secure Foot Straps (select one, length over top of foot, two pair)

- □ 10"L DEFAULT □ 15"L
- Planar Back (select one, height from seat)

□ 16"H □ 20"H DEFAULT

Chest Support (select one)

	chest Strap (circumference up to 42", velo	ro w	ith D-ring)
	-Style 11"Lx9.5"W		X-Style 14.5"Lx10.5"W DEFAULT
ΠY	'-Style 17.5"Lx11.5"W		Y-Style 20.5"Lx12.5"W
	Ion-Stretch X-Style 11"Lx9.5"W	\Box	Non-Stretch X-Style 14.5"Lx10.5"W
	Ion-Stretch Y-Style 17.5"Lx11.5"W	$\overline{\Box}$	Non-Stretch Y-Style 20.5"Lx12.5"W

Lateral Supports (select one)

9"-15.5"W Range (select pad style below) ☐ Flat Pads ☐ Curved Pads

□ With Elbow Stop 9"-14.5" Range DeFAULT

Head Support (select one)

5"Hx8"W	6"Hx10"W
7"H x 14"W	5"Hx10"W-Form to Fit DEF

Email form to webquotes@easystand.com



Standing technology should only be used under the guidance of a physician with recommendations for standing program protocol and any medical precautions. Standing programs should be monitored by the attending therapist. AMI maintains a policy of continual product improvement and reserves the right to change features, specifications, and prices without prior notification. Check with AMI for latest information. FORM ESBANMDPLPKG-112921 Copyright © 2021 Altimate Medical, Inc. All rights reserved. U.S. & international patents pending. Printed in the U.S.A.

3

Zip:

Phone:

Tag For:

EasyStand

Retail Order Form

USA Effective January 1, 2022 Date:

Evolv Medium User Specifications

Approximate Height Range	4'0"-5'6"
Weight Limit	200 lbs.
Seat Depth Range (seat to back surface)	14"-19"
Seat to Foot Plate Range (from seat pivot)	11.5"-18"

Bill TO (EasyStand Supplier Only)

Purchase Order #:
Quote #:
Account #:
Ordered By:
Name of ATP (Required):
Supplier Company:
Address:
City, State, Zip:
Phone:
Email:
Payer Source:
Ship To

Name:
Address:
Address:
City, State:
Zip:
Phone:
Tag For:

Email form to webquotes@easystand.com



Evolv Medium Packages

□ PK201 Minimum Support Package......\$5.025 The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Removable Back, Velcro® Positioning Belt, Chest Strap, Black Molded Tray with Chest Pad, Manual Hydraulic Actuator with Handle. Flip-Up Knee Pad, Planar Seat, Multi-Adjustable Foot Plates, 5" Front Wheels, 5" Rear Locking Casters. Actuator Handle Location (select one) Right DEFAULT Left

Removable Back (select one)

Flat Back-19"H DEFAULT Flat Back-15"H □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" DEFAULT □ 38"-67"

Chest Strap (select one, chest measurement)

□ 30"-46" default □ 34"-54" □ 46"-66"

□ PK202 Moderate Support Package......\$7,044

The moderate support package includes: (no substitutions) Easy-Adjust Seat Depth, Swing-Away Front, Adjustable/Removable Actuator Handle, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, Independent Knee Pads for Swing-Away, Removable Back, Velcro[®] Positioning Belt, Chest Strap, Accessories Mounting Bracket, Lateral Supports, Planar Seat, Multi-Adjustable Foot Plates, Black Molded Tray, 5" Front Wheels, 5" Rear Locking Casters.

Actuator Handle Location (select one)

□ Right DEFAULT □ Left

Chest Pad (select one) Non-Adjustable DEFAULT Adjustable

Secure Foot Straps (select one, length over top of foot, two pair)

□ 15"L default □ 21"L

Hip Supports (select one range)

9"-15" DEFAULT 11"-17' □ 16"-22"

Removable Back (select one) Flat Back-15"H

Flat Back-19"H DEFAULT □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" DEFAULT □ 38"-67"

Chest Strap (select one, chest measurement)

□ 30"-46" default □ 34"-54" 46"-66"

Lateral Supports (select one)

8"-16.5"W Range (select pad style below) □ Flat Pads DEFAULT □ Curved Pads

11"-19.5"W Range (select pad style below) ☐ Flat Pads ☐ Curved Pads

🗆 PK203 Maximum Support Package......\$8,720

The maximum support package includes: (no substitutions) Easy-Adjust Seat Depth, Swing-Away Front for Shadow Tray, Adjustable/Removable Actuator Handle, Shadow Tray, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, Independent Knee Pads for Swing-Away, Removable Back, Positioning Belt, Accessories Mounting Bracket, Chest Strap or Chest Vest with High Mount Vest Bracket, Lateral Supports, Head Support, Tray, Multi-Adjustable Foot Plates, Planar Seat, Front Wheels/Casters, 5" Rear Locking Casters.

Front Wheel/Casters (select one)

□ 5" Front Wheels DEFAULT □ Front Swivel Casters

Actuator Handle Location (select one)

□ Right DEFAULT □ Left

Shadow Trav (select one)

Black Molded Adjustable Shadow Tray (7"-12"H from seat, 4"-20"D from back) Clear Adjustable Shadow Tray (6"-11"H from seat, 4"-20"D from back) DEFAULT

Chest Pad (select one)

□ Non-Adjustable DEFAULT □ Adjustable

Secure Foot Straps (select one, length over top of foot, two pair)

□ 15"L default □ 21"L

Hip Supports (select one range)

9"-15" default 11"-17" 16"-22"

Removable Back (select one)

- Flat Back-15"H Flat Back-19"H
- Contoured Back-15"H Contoured Back-19"H DEFAULT

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" DEFAULT □ 38"-67"

Chest Support (select one)

	ent:□30"-46" □34"-54" □46"-66"
	X-Style 14.5"Lx10.5"W default
Y-Style 17.5"Lx11.5"W	Y-Style 20.5"Lx12.5"W
Non-Stretch X-Style 11"Lx9.5"W	
Non-Stretch Y-Style 17.5"Lx11.5"W	Non-Stretch Y-Style 20.5"Lx12.5"W

Lateral Supports (select one)

- 8"-16.5"W Range (select pad style below)
- □ Flat Pads DEFAULT □ Curved Pads
- 11"-19.5"W Range (select pad style below)
- □ Flat Pads □ Curved Pads
- Head Support (select one)
- Short DEFAULT Tall

PK204 Minimum Support Package (Mobile)....\$7,121

The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Mobile, Clear Angle Adjustable Tray for Mobile, Large Contoured Chest Pad, Removable Back, Velcro® Positioning Belt, Chest Strap, Manual Hydraulic Actuator with Handle, Planar Seat, Flip-Up Knee Pads. Multi-Adjustable Foot Plates, 5" Rear Locking Casters.

Actuator Handle Location (select one)

Right DEFAULT Left

Chest Pad (select one)

Non-Adjustable DEFAULT Adjustable

Removable Back (select one)

Flat Back-19"H DEFAULT Flat Back-15"H □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" DEFAULT □ 38"-67"

Chest Strap (select one, chest measurement)

□ 30"-46" default □ 34"-54" 46"-66"

Standing technology should only be used under the guidance of a physician with recommendations for standing program protocol and any medical precautions. Standing programs should be monitored by the attending therapist. AMI maintains a policy of continual product improvement and reserves the right to change features, specifications, and prices without prior notification. Check with AMI for latest information. FORM ESEVMDPLPKG-112921 Copyright © 2021 Altimate Medical, Inc. All rights reserved. U.S. & international patents pending, Printed in the U.S.A.

USA Effective January 1, 2022 Date:

Evoly Large User Specifications

5'0"-6'2"
280 lbs.
18"-23"
14"-21"

Bill TO (EasyStand Supplier Only)

Purchase Order #:
Quote #:
Account #:
Ordered By:
Name of ATP (Required):
Supplier Company:
Address:
City, State, Zip:
Phone:
Email:
Payer Source:
Ship To
Name:
Address:
Address:
City, State:

Evolv Large Packages

□ PK205 Minimum Support Package......\$5,025 The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Removable Back, Velcro® Positioning Belt, Chest Strap,

Black Molded Tray with Chest Pad, Manual Hydraulic Actuator with Handle. Flip-Up Knee Pad, Planar Seat, Multi-Adjustable Foot Plates, 5" Front Wheels, 5" Rear Locking Casters.

Actuator Handle Location (select one)

Right DEFAULT Left

Removable Back (select one)

Flat Back-19"H DEFAULT Flat Back-15"H Contoured Back-15"H Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" default □ 38"-67"

Chest Strap (select one, chest measurement)

□ 30"-46" □ 34"-54" DEFAULT □ 46"-66"

□ PK206 Moderate Support Package......\$7,044

The moderate support package includes: (no substitutions) Easy-Adjust Seat Depth, Swing-Away Front, Adjustable/Removable Actuator Handle, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, Independent Knee Pads for Swing-Away, Removable Back, Velcro[®] Positioning Belt, Chest Strap, Accessories Mounting Bracket, Lateral Supports, Planar Seat, Multi-Adjustable Foot Plates, Black Molded Trav. 5" Front Wheels, 5" Rear Locking Casters.

Actuator Handle Location (select one)

Right DEFAULT Left

Chest Pad (select one) Non-Adjustable DEFAULT Adjustable

Secure Foot Straps (select one, length over top of foot, two pair) □ 15"L DEFAULT □ 21"L

Hip Supports (select one range)

□ 10"-15" □ 12"-17" default □ 17"-23"

Removable Back (select one)

Flat Back-15"H Flat Back-19"H DEFAULT □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" default □ 38"-67"

Chest Strap (select one, chest measurement)

□ 30"-46" □ 34"-54" DEFAULT □ 46"-66"

Lateral Supports (select one) 8"-16.5"W Range (select pad style below)

☐ Flat Pads ☐ Curved Pads

☐ 11"-19.5"W Range (select pad style below) □ Flat Pads DEFAULT □ Curved Pads

□ PK207 Maximum Support Package......\$8,720

The maximum support package includes: (no substitutions) Easy-Adjust Seat Depth, Swing-Away Front for Shadow Tray, Adjustable/Removable Actuator Handle, Shadow Tray, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports. Independent Knee Pads for Swing-Away, Removable Back, Positioning Belt, Accessories Mounting Bracket, Chest Strap or Chest Vest with High Mount Vest Bracket, Lateral Supports, Head Support, Tray, Multi-Adjustable Foot Plates, Planar Seat, Front Wheels/Casters, 5" Rear Locking Casters.

Front Wheel/Casters (select one)

□ 5" Front Wheels DEFAULT □ Front Swivel Casters

Actuator Handle Location (select one)

□ Right DEFAULT □ Left

Shadow Trav (select one)

Black Molded Adjustable Shadow Tray (7"-12"H from seat, 4"-20"D from back) Clear Adjustable Shadow Tray (6"-11"H from seat, 4"-20"D from back) DEFAULT

Chest Pad (select one)

□ Non-Adjustable DEFAULT □ Adjustable

Secure Foot Straps (select one, length over top of foot, two pair)

□ 15"L DEFAULT □ 21"L

Hip Supports (select one range)

□ 12"-17" default □ 17"-23" 10"-15

Removable Back (select one)

. □ Flat Back-19"H Flat Back-15"H

Contoured Back-15"H Contoured Back-19"H DEFAULT

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" DEFAULT □ 38"-67"

Chest Support (select one)

Chest Strap select one chest measurement: ☐ 30"-46" ☐ 34"-54" ☐ 46"-66"
X-Style 11"Lx9.5"W X-Style 14.5"Lx10.5"W default
Y-Style 17.5"Lx11.5"W 🛛 Y-Style 20.5"Lx12.5"W
Non-Stretch X-Style 11"Lx9.5"W Non-Stretch X-Style 14.5"Lx10.5"W
Non-Stretch Y-Style 17.5"Lx11.5"W Non-Stretch Y-Style 20.5"Lx12.5"W

Lateral Supports (select one)

8"-16.5"W Range (select pad style below)

- Flat Pads Curved Pads
- 11"-19.5"W Range (select pad style below)
- □ Flat Pads DEFAULT □ Curved Pads

Head Support (select one)

□ Short Tall DEFAULT

PK208 Minimum Support Package (Mobile)....\$7,121

The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Mobile, Clear Angle Adjustable Tray for Mobile, Large Contoured Chest Pad, Removable Back, Velcro® Positioning Belt, Chest Strap, Manual Hydraulic Actuator with Handle, Planar Seat, Flip-Up Knee Pads. Multi-Adjustable Foot Plates, 5" Rear Locking Casters.

Actuator Handle Location (select one)

Right DEFAULT Left

Chest Pad (select one)

Non-Adjustable DEFAULT Adjustable

Removable Back (select one)

Flat Back-19"H DEFAULT Flat Back-15"H

□ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" default □ 38"-67"

Chest Strap (select one, chest measurement)

□ 30"-46" □ 34"-54" DEFAULT □ 46"-66"

Fax: 877.342.8968 or 507.697.6900 easystand.com

Email form to webquotes@easystand.com

AltimateMedical

Ph: 800.342.8968 or 507.697.6393

Standing technology should only be used under the guidance of a physician with recommendations for standing program protocol and any medical precautions. Standing programs should be monitored by the attending therapist. AMI maintains a policy of continual product improvement and reserves the right to change features, specifications, and prices without prior notification. Check with AMI for latest information. FORM ESEVLPLPKG-112921 Copyright © 2021 Altimate Medical, Inc. All rights reserved. U.S. & international patents pending, Printed in the U.S.A.

Phone:

Tag For:

Zip:

USA Effective January 1, 2022 Date:

Evolv XT User Specifications

Approximate Height Range	6'0"-6'10"
Weight Limit	350 lbs.
Seat Depth Range (seat to back surface)	20"-25"
Seat to Foot Plate Range (from seat pivot)	17"-23"

Bill TO (EasyStand Supplier Only)

Purchase Order #:
Quote #:
Account #:
Ordered By:
Name of ATP (Required):
Supplier Company:
Address:
City, State, Zip:
Phone:
Email:
Payer Source:

Ship To

lame:	_
Address:	
Address:	
City, State:	
ip:	
hone:	
ag For:	

Email form to webquotes@easystand.com



Evolv XT Packages

□ PK209 Minimum Support Package......\$6,493 The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Removable Back, Velcro® Positioning Belt, Chest Strap, Black Molded Tray with Chest Pad, Manual Hydraulic Actuator with Handle. Flip-Up Knee Pad, Planar Seat, Multi-Adjustable Foot Plates, 5" Front Wheels, 5" Rear Locking Casters.

Actuator Handle Location (select one)

Right DEFAULT Left

Removable Back (select one)

Flat Back-19"H DEFAULT Flat Back-15"H □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" □ 38"-67" DEFAULT

Chest Strap (select one, chest measurement)

30"-46" □ 34"-54" □ 46"-66" default

□ PK210 Moderate Support Package......\$8,057

The moderate support package includes: (no substitutions) Easy-Adjust Seat Depth, Adjustable/Removable Actuator Handle, Large Contoured Chest Pad. Secure Foot Straps, Hip Supports, Independent Knee Pads, Removable Back, Velcro[®] Positioning Belt, Chest Strap, Accessories Mounting Bracket, Lateral Supports, Planar Seat, Multi-Adjustable Foot Plates, Black Molded Tray, 5" Front Wheels, 5" Rear Locking Casters.

Actuator Handle Location (select one)

□ Right DEFAULT □ Left

Chest Pad (select one) Non-Adjustable DEFAULT Adjustable

Secure Foot Straps (select one, length over top of foot, two pair)

□ 15"L DEFAULT □ 21"L

Hip Supports (select one range) □ 10"-15" □ 12"-17" □ 17"-23" default

Removable Back (select one)

Flat Back-19"H DEFAULT Flat Back-15"H □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" □ 38"-67" default

Chest Strap (select one, chest measurement)

30"-46" 34"-54" 46"-66" DEFAULT

Lateral Supports (select one)

8"-16.5"W Range (select pad style below) ☐ Flat Pads ☐ Curved Pads

11"-19.5"W Range (select pad style below) Flat Pads DEFAULT Curved Pads

□ PK211 Maximum Support Package......\$9,790

The maximum support package includes: (no substitutions) Easy-Adjust Seat Depth, Adjustable/Removable Actuator Handle, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, Independent Knee Pads, Removable Back, Velcro® Positioning Belt, Accessories Mounting Bracket, Chest Strap or Chest Vest with High Mount Vest Bracket, Lateral Supports. Head Support, Tray, Multi-Adjustable Foot Plates, Planar Seat, 5" Front Wheels/ Casters, 5" Rear Locking Casters.

Front Wheel/Casters (select one)

☐ 5" Front Wheels DEFAULT ☐ Front Swivel Casters

Actuator Handle Location (select one)

□ Right DEFAULT □ Left

Shadow Trav (select one)

Black Molded Adjustable Shadow Tray (7"-12"H from seat, 4"-20"D from back) Clear Adjustable Shadow Tray (6"-11"H from seat, 4"-20"D from back) DEFAULT

Chest Pad (select one)

□ Non-Adjustable DEFAULT □ Adjustable

Secure Foot Straps (select one, length over top of foot, two pair)

□ 15"L default □ 21"L

Hip Supports (select one range)

17"-17 10"-15 17"-23" default

Removable Back (select one)

Flat Back-15"H Flat Back-19"H

Contoured Back-15"H Contoured Back-19"H DEFAULT

Velcro® Positioning Belt (select one, hip circumference)

26"-55" 38"-67" DEFAULT

Chest Support (select one)

Chest Strap select one chest measurement: □ 30"-46" □ 34"-54" □ 46"-66"	
X-Style 11"LX9.5"W X-Style 14.5"LX10.5"W DEFAULT	
Y-Style 17.5"Lx11.5"W I Y-Style 20.5"Lx12.5"W	
Non-Stretch X-Style 11"Lx9.5"W Non-Stretch X-Style 14.5"Lx10.5"W	
Non-Stretch Y-Style 17.5"Lx11.5"W Non-Stretch Y-Style 20.5"Lx12.5"W	

Lateral Supports (select one)

8"-16.5"W Range (select pad style below)

- Flat Pads Curved Pads
- 11"-19.5"W Range (select pad style below)
- □ Flat Pads DEFAULT □ Curved Pads
- Head Support (select one)
- □ Short □ Tall DEFAULT

PK212 Minimum Support Package (Mobile)....\$8,333 The minimum support package includes: (no substitutions)

Easy-Adjust Seat Depth, Mobile, Clear Angle Adjustable Tray for Mobile, Large Contoured Chest Pad, Removable Back, Velcro® Positioning Belt, Chest Strap, Manual Hydraulic Actuator with Handle, Planar Seat, Flip-Up Knee Pads, Multi-Adjustable Foot Plates, 5" Rear Locking Casters.

Actuator Handle Location (select one)

Right DEFAULT Left

Chest Pad (select one)

Non-Adjustable DEFAULT Adjustable

Removable Back (select one)

Flat Back-19"H DEFAULT Flat Back-15"H □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" □ 38"-67" default

Chest Strap (select one, chest measurement)

30"-46" □ 34"-54" default □ 46"-66"

Standing technology should only be used under the guidance of a physician with recommendations for standing program protocol and any medical precautions. Standing programs should be monitored by the attending therapist. AMI maintains a policy of continual product improvement and reserves the right to change features, specifications, and prices without prior notification. Check with AMI for latest information. FORM ESEVXTPLPKG-112921 Copyright © 2021 Altimate Medical, Inc. All rights reserved. U.S. & international patents pending, Printed in the U.S.A.

USA Effective January 1, 2022 Date:

Glider User Specifications

This price list is for both the Glider Medium and the Glider Large. Specifications for each are listed above the pricing.

Bill TO (EasyStand Supplier Only)
Purchase Order #:
Quote #:
Account #:
Ordered By:
Name of ATP (Required):
Supplier Company:
Address:
City, State, Zip:
Phone:
Email:
Payer Source:

Ship To

ame:	
ddress:	
ddress:	
ity, State:	
p:	
hone:	
ag For:	

Email form to webquotes@easystand.com



Glider Medium & Large Packages

13 5"-

Glider Medium User Specifications

	Approximate Height Range
_	Weight Limit
	Seat Depth Range (center of knee pad to flat back)
	Seat to Foot Plate Range (from seat pivot)

Glider Large User Specifications

Approximate Height Range	5'0"-6'2"
Weight Limit	280 lbs.
Seat Depth Range (center of knee pad to flat back)	24"-29"
Seat to Foot Plate Range (from seat pivot)	15.5"-18.5"
	Weight Limit Seat Depth Range (center of knee pad to flat back)

EasyStand Glider Medium

□ PK213 Moderate Support Package......\$9,813 The moderate support package includes: (no substitutions)

Easy-Adjust Seat Depth, Adjustable/Removable Actuator Handle, Secure Foot Straps, Hip Supports, Glide Handle Extensions, Removable Back, Velcro® Positioning Belt, Chest Strap, Full Range Seat, Positioning Bar, 5" Front Wheels, 5" Rear Locking Casters, Tray & Chest Pad, Flip-Up Knee Pads, Adjustable Resistance Cylinders, Adjustable Foot Plates.

Actuator Handle Location (select one)

□ Right DEFAULT □ Left

Secure Foot Straps (select one, length over top of foot, two pair) □ 15"L default □ 21"L

Hip Supports (select one range) 9"-15" default 11"-17"

Removable Back (select one)

☐ Flat Back-15"H Flat Back-19"H DEFAULT □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference) □ 26"-55" default □ 38"-67"

Chest Strap (select one, chest measurement)

□ 30"-46" □ 34"-54" DEFAULT □ 46"-66"

EasyStand Glider Large

□ PK214 Moderate Support Package......\$9,666 The moderate support package includes: (no substitutions)

Easy-Adjust Seat Depth. Adjustable/Removable Actuator Handle. Secure Foot Straps, Hip Supports, Removable Back, Velcro® Positioning Belt, Chest Strap, Full Range Seat, Positioning Bar, 5" Front Wheels, 5" Rear Locking Casters, Tray & Chest Pad, Flip-Up Knee Pads, Adjustable Resistance Cylinders, Glide Handles, Adjustable Foot Plates.

Actuator Handle Location (select one)

□ Right DEFAULT □ Left

Secure Foot Straps (select one, length over top of foot, two pair)

□ 15"L DEFAULT □ 21"L

Hip Supports (select one range)

□ 10"-15" □ 12"-17" default

Removable Back (select one)

Flat Back-19"H DEFAULT ☐ Flat Back-15"H □ Contoured Back-15"H □ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

□ 26"-55" □ 38"-67" default

Chest Strap (select one, chest measurement)

□ 30"-46" □ 34"-54" DEFAULT □ 46"-66"

Standing technology should only be used under the guidance of a physician with recommendations for standing program protocol and any medical precautions. Standing programs should be monitored by the attending therapist. AMI maintains a policy of continual product improvement and reserves the right to change features, specifications, and prices without prior notification. Check with AMI for latest information. FORM ESGLM&LPLPKG-112921 Copyright © 2021 Altimate Medical, Inc. All rights reserved. U.S. & international patents pending, Printed in the U.S.A.

EasyStand

Retail Order Form

USA Effective January 1, 2022 Date: _____

StrapStand User Specifications

Approximate Height Range Weight Limit

Bill TO (EasyStand Supplier Only)

Purchase Order #:	PK302 Moderate Support Packa The moderate support package includes: (no substitutio		
Quote #:	Swing-Out Legs, Adjustable Lifting Strap, Black Molo Casters. Multi-Adjustable Footplates, Foot Straps, Ir		
Account #:	Actuator Handle, Upper Body Support Strap, Grab H		
Ordered By:	Lifting Stran (select and)		
Name of ATP (Required):			
Supplier Company:	Adjustable Sling Strap 9"Wx25"L Adjustable Sling Strap 12"Wx28"L Adjustable Sling Strap 14"Wx32"L Adjustable Sling Strap 14"Wx32"L		
Address:	Secure Foot Straps (select one, length over top of fo		
City, State, Zip:	□ 15"L □ 21"L default		
Phone:	PK303 Maximum Support Packa The maximum support package includes: (no substitution		
Email:			
Payer Source:	Chect Dad Daddad Tray Cover Multi-Adjuctable Eor		
Ship To	Lifting Strap (select one)		
Name:	Adjustable Lifting Strap 10"Wx26"L Adjustable Lifting Strap 12"Wx29"L Adjustable Lifting Strap 14"Wx32"L Adjustable Lifting Strap 14"Wx32"L		
Address:			
Address:			
City, State:	Secure FOOL Straps (select one, length over top of to		
Zip:			
Phone:			

Email form to webquotes@easystand.com

Tag For:



StrapStand Packages

	□ PK301 Minimum Support Package\$4,495 The minimum support package includes: (no substitutions)
	Swing-Out Legs, Adjustable Lifting Strap, Black Molded Tray, Four Locking Swivel Casters, Foot Plates, Knee Pad, Hydraulic Actuator with Handle.
5'0"-6'5" 350 lbs.	Lifting Strap (select one) Adjustable Lifting Strap 10"Wx26"L Adjustable Lifting Strap 12"Wx29"L DEFAULT Adjustable Lifting Strap 14"Wx32"L Adjustable Sling Strap 12"Wx28"L Adjustable Sling Strap 12"Wx28"L Adjustable Sling Strap 14"Wx32"L
	PK302 Moderate Support Package\$5,912 The moderate support package includes: (no substitutions)
	Swing-Out Legs, Adjustable Lifting Strap, Black Molded Tray, Four Locking Swivel Casters. Multi-Adjustable Footplates, Foot Straps, Independent Knee Pads, Removable Actuator Handle, Upper Body Support Strap, Grab Handles, Transport Handle.
	Lifting Strap (select one) Adjustable Lifting Strap 10"Wx26"L Adjustable Lifting Strap 12"Wx29"L DEFAULT Adjustable Lifting Strap 14"Wx32"L Adjustable Sling Strap 9"Wx25"L Adjustable Sling Strap 12"Wx28"L Adjustable Sling Strap 14"Wx32"L
	Secure Foot Straps (select one, length over top of foot, two pair)
	PK303 Maximum Support Package\$6,278 The maximum support package includes: (no substitutions)
	Swing-Out Legs, Adjustable Lifting Strap, Black Molded Tray, Large Contoured Chest Pad, Padded Tray Cover, Multi-Adjustable Footplates, Secure Foot Straps, Independent Roho Knee Pads, Removable Actuator Handle, Upper Body Support Strap, Grab Handles, Transport Handle, Four Locking Swivel Casters.
	Lifting Strap (select one) Adjustable Lifting Strap 10"Wx26"L Adjustable Lifting Strap 12"Wx29"L Adjustable Lifting Strap 14"Wx32"L Adjustable Sling Strap 9"Wx25"L Adjustable Sling Strap 12"Wx28"L Adjustable Sling Strap 14"Wx32"L
	Secure Foot Straps (select one, length over top of foot, two pair)

Standing technology should only be used under the guidance of a physician with recommendations for standing program protocol and any medical precautions. Standing programs should be monitored by the attending therapist. AMI maintains a policy of continual product improvement and reserves the right to change features, specifications, and prices without prior notification. Check with AMI for latest information. FORM ESSSPLPKG-112921 Copyright © 2021 Altimate Medical, Inc. All rights reserved. U.S. & international patents pending. Printed in the U.S.A.